

บรรณานุกรม

ภาษาไทย

กรมควบคุมโรค กระทรวงสาธารณสุข. (2553). สถานการณ์ น โภภัย ชุมชนศาสตร์ และแนวทางการป้องกันควบคุมไข้หวัดใหญ่ระบาดในไทย (ເອົ້າເລື່ອນ 1) 2009. Retrieved February, 25, 2010 from http://beid.ddc.moph.go.th/th/images/news/03_230253.doc

กระทรวงสาธารณสุข. (2553). หนังสือขอความร่วมมือเร่งรัดดำเนินการเตรียมพร้อมและจัดการการระบาดของไข้หวัดใหญ่ในช่วงฤดูฝนและฤดูหนาว ที่ สธ 0436.2/2838 ลงวันที่ 20 ธันวาคม 2553.

โภฯ สุคહอม. (2551). ไข้หวัดใหญ่สายพันธุ์ใหม่ชนิดเอ เอช 1 เอ็น 1. พุทธชินราชวชสาร, 26(2), 97-106.

คณะกรรมการด้านการรักษาพยาบาล กระทรวงสาธารณสุข. (2552). แนวทางการคุ้มครองผู้ป่วยที่เข้ามาอย่างสับปะรดไข้หวัดใหญ่สายพันธุ์ใหม่ (H1N1). Retrieved December 24, 2552 from http://epid.moph.go.th/Flu/doc/CPG_V3_20090717.pdf

ดารินทร์ อารีย์โศกชัย. (2552). รายงานเบื้องต้นลักษณะทางระบาดวิทยาของผู้ติดเชื้อไวรัสไข้หวัดใหญ่ชนิดเอ (เอช 1 เอ็น 1) 2009 เสียชีวิต. รายงานการเฝ้าระวังทางระบบวิทยาประจําสัปดาห์, 40(29), 481-483.

วรรณ หาญเชาว์รุกุล. (2552). สถานการณ์ แนวโน้มและข้อเสนอแนะเพื่อการควบคุมไข้หวัดใหญ่สายพันธุ์ใหม่ชนิด A (H1N1) ของประเทศไทย. รายงานการเฝ้าระวังทางระบบวิทยาประจําสัปดาห์, 40(27), 449-453.

สำนักข่าวแห่งชาติ กรมประชาสัมพันธ์. (2553). สวทช.ร่วมกับสำนักระบบวิทยา สวนดุสิตโพล ทําแบบสำรวจมิติใหม่เก็บข้อมูลการระบาดของผู้ป่วยหวัดใหญ่ 2009 (24 มีนาคม 2553). Retrieved April 16, 2009 from <http://thainews.prd.go.th>

สำนักงานสาธารณสุขจังหวัดเชียงใหม่ (2552). สถานการณ์ไข้หวัดใหญ่สายพันธุ์ใหม่. เข้าถึงเมื่อ 13 กรกฎาคม 2552 จาก http://www.chiangmaihealth.com/cmpho_web/index.php.

สำนักงานควบคุมโรคติดต่อ. (2552)⁹. การเฝ้าระวังโรคไข้หวัดใหญ่สายพันธุ์ใหม่ ชนิด A(H1N1) สถานการณ์ ณ วันที่ 15 กรกฎาคม 2552. เข้าถึงเมื่อ 15 กรกฎาคม 2552 จาก <http://epid.moph.go.th>.

สำนักงานควบคุมโรคติดต่อ. (2552)⁹. การเฝ้าระวังโรคไข้หวัดใหญ่สายพันธุ์ใหม่ ชนิด A(H1N1) สถานการณ์ ณ วันที่ 29 กรกฎาคม 2552. เข้าถึงเมื่อ 29 กรกฎาคม 2552 จาก <http://epid.moph.go.th>.

ภาษาอังกฤษ

- Abdullah, A.S., Thomas, G.N., McGhee, S.M., & Morisky, D.E. (2004). Impact of severe acute respiratory syndrome (SARS) on travel and population mobility: implications for travel medicine practitioners. *Journal of Travel Medicine*, 11, 107-111.
- Asian Development Bank. (2003). Assessing the impact and cost of SARS in developing Asia. *Hong Kong: Asia Development Outlook*. 75-92.
- Baker, C.W., Little, T.D., & Brownell, K.D. (2003). Predicting adolescent eating and activity behaviors: the role of social norms and personal agency. *Health Psychology*, 22(2), 189-198.
- Bandura, A. (2000). Social cognitive theory. In A. E. Kazdin (Ed.), *Encyclopedia of psychology*. New York: Oxford University Press.
- Borenstein, M., Rothstein, H.R., & Cohen, J. (2000). *Power and Precision 2.0: A computer program*. Englewood, NJ: Biostat, Inc.
- Brewer, N.T., Chapman, G.B., Gibbons, F.X., Gerrard, M., McCaul, K.D., & Weinstein, N.D. (2007). Meta-analysis of the relationship between risk perception and health behavior: the example of vaccination. *Health Psychology*, 26, 136-145.
- Brown, L.H., Aitken, P., Leggat, P.A., & Speare, R. (2010) Self-reported anticipated compliance with physician advice to stay home during pandemic (H1N1) 2009: results from the 2009 Queensland Social Survey. *BMC Public Health*, 10. Retrieved August 21, 2010 from http://cprints.jcu.edu.au/11751/1/BMC_Public_Health_2010_10_138_BROWN

- Brug, J., Aro, A.R., Oenema, A., deZwart, O., Richardus, J.H., & Bishop, G.D. (2004). SARS risk perception, knowledge, precautions and information sources, the Netherlands. *Emerging Infectious Disease*, 8, 1486-1489.
- Brug, J., Aro, A.R., Richardus J.H. (2009). Risk Perceptions and Behaviour: Towards Pandemic Control of Emerging Infectious Diseases. *International Journal of Behavioral Medicine*, 16(1), 3-6.
- Carmal, S., Shani, E., & Rosenberg, L. (1994). The role of age and an expanded Health Belief Model in predicting skin cancer protective behavior. *Health Education Research*, 9(4), 433-447.
- Center for Disease Control. (2009). *Interim guidance on antiviral recommendations for patients with novel influenza A(H1N1) virus infection and their close contacts*. Retrieved July 15, 2009 from <http://www.cdc.gov/h1n1flu/rccommendations.htm>
- Chaudry, R.V. (2008). The precautionary principle, public health, and public health nursing. *Public Health Nursing*, 25(3), 261-268.
- Cowling, B.J. et al. (2010). Community psychological and behavioral responses through the first wave of the 2009 influenza A (H1N1) pandemic in Hong Kong. *The Journal of Infectious Disease*, 202(6), 867-876.
- Dailey, R.M., Richards, A.A., & Romo, L.K. (2010). Communication With Significant Others About Weight Management: The Role of Confirmation in Weight Management Attitudes and Behaviors. *Communication Research*, 37(5), 644-673. Retrieved on August 10, 2010 from <http://crx.sagepub.com/content/early/2010/06/11/0093650210362688>.
- de Zwart, O., Veldhuijzen, I.K., Richardus, J.H., & Brug, J. (2010). Monitoring of risk perceptions and correlates of precautionary behaviour related to human avian influenza during 2006 - 2007 in the Netherlands: results of seven consecutive surveys. *BMC Infectious Diseases*, 10:114. Retrieved March 26, 2010 from <http://www.biomedcentral.com/1471-2334/10/114>

- Di Giuseppe, G., Abbate, R., Albano, L., Marinelli, P., & Angelillo, I.F. (2008). A survey of knowledge, attitudes, and practices towards avian influenza in an adult population of Italy. *BMC Infectious Disease*, 8. Retrieved July 13, 2009 from <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=2292195&blobtype=pdf>
- Eastwood, K. et al. (2009). Knowledge about pandemic influenza and compliance with containment measures among Australians. *Bulletin of the World Health Organization*, 87, 588-594.
- Echevarría-Zuno, S et al. (2009). Infection and death from influenza A H1N1 virus in Mexico: a retrospective analysis. *Lancet*, 374(9709), 2072-2079.
- Fung, I.C., & Cairncross, S. (2006). Effective of handwashing in preventing SARS: a review. *Tropical Medicine and International Health*, 11(11), 1749-1758.
- Gerrard, M., Gibbons, F.X., & Bushman, B.J. (1996). Relationship between perceived vulnerability to HIV and precautionary sexual behavior. *Psychological Bulletin*, 119(3), 390-409.
- Grandjean, P. (2004). Implications of the precautionary principle for primary prevention and research. *Annual Review of Public Health*, 25, 199-223.
- Grothmann, T. & Reusswig, F. (2006). People at risk of flooding: why some residents take precautionary action while others do not. *Natural Hazards*, 38(1-2), 101-120.
- Hayden, F.G. (2001). Antiviral agents. In Hardman, J.G.,& Limbird, L.E. (Eds). *Goodman & Gilman's the pharmacological basis of therapeutics*. (10th ed.). New York: McGraw-Hill.
- Hong, S., & Collins, A. (2006). Societal responses to familiar versus unfamiliar risk: comparisons of influenza and SARS in Korea. *Risk Analysis*, 26(5), 1247-1257.
- Hunt, M. (2009). Virology chapter 13 Influenza virus (Orthomyxovirus). *Microbiology and Immunology online*. Available on <http://pathmicro.med.sc.edu/mhunt/flu.htm>
- Jain, S. et al. (2009). Hospitalized patients with 2009 H1N1 influenza in the United States, April-June 2009. *NEJM*, 361(20), 1935-1944.

- Jamieson, D.J. et al. (2009). H1N1 2009 influenza virus infection during pregnancy in the USA. *Lancet*, 374(9688), 451-458.
- Jiang, X. et al. (2009). The perceived threat of SARS and its impact on precautionary actions and adverse consequences: a qualitative study among Chinese communities in the United Kingdom and the Netherlands. *International Journal of Behavioral Medicine*, 16(1), 58-67.
- Jones, J.H., & Salathé, M. (2009). Early assessment of anxiety and behavioral response to novel swine-origin influenza A (H1N1). *PLoS ONE*, 4(12): e8032. doi:10.1371/journal.pone.0008032. Retrieved on February 7, 2010 from <http://www.plosone.org/article/info%3Adoi%2F0.1371%2Fjournal.pone.0008032>
- Kinsman, S.B., Romer, D., Furstenberg, F.F., & Schwarz, D.F. (1998). Early sexual initiation: the role of peer norms. *Pediatrics*, 102(5), 1185-1192.
- Krick, J. P. & Sobal, J. (1996). The development of health protective behaviors among college students. *Journal of Behavioral Medicine*, 19(2), 143-161.
- Lau, J.T., Griffiths, S., Choi, K.C., & Lin, C. (2010). Prevalence of preventive behaviors and associated factors during early phase of the H1N1 influenza epidemic. *American Journal of Infection Control*, 38(5), 374-380.
- Lau, J.T., Griffiths, S., Choi, K.C., & Tsui, H.Y. (2010). Avoidance behaviors and negative psychological responses in the general population in the initial stage of the H1N1 pandemic in Hong Kong. *BMC Infectious Diseases*, 10: 139. Retrieved on June 15, 2010 from <http://www.biomedcentral.com/1471-2334/10/139>
- Oshitani, H., Kamigaki, T., & Suzuki, A. (2008). Major issues and challenges of influenza pandemic preparedness in developing countries. *Emerging Infectious Disease*, 14, 875-880.
- Rogers, R.W. (1983). Cognitive and physiological process in fear appeals and attitude change: A revised theory of protection motivation. In J. Cacioppo & R. Petty (Eds). *Social Psychophysiology*. New York: Guilford Press.
- Rosenboim, M., Benzoin, U., Shahrabani, S., & Shavit, T. (2011). Emotions, Risk Perceptions, and Precautionary Behavior Under the Threat of Terror Attacks: A Field Study Among

- Israeli College Student. *Journal of Behavioral Decision Making*. Retrieved January 10, 2011 from <http://onlinelibrary.wiley.com/doi/10.1002/bdm.728/full>
- Rubin, J.G., Amlot, R., Page, L., & Wessely, S. (2009). Public perceptions, anxiety, and behaviour change in relation to the swine flu outbreak: cross sectional telephone survey. *BMJ*, 339, b2652. Retrieved July 20, 2009 from www.bmjjournals.org
- Sadique, M.Z. et al. (2007). Precautionary behavior in response to perceived threat of pandemic influenza. *Emerging Infectious Disease*, 13(9), 1307-1313.
- Salaam-Blyther, T. (2009). The 2009 Influenza pandemic: U.S. responses to global human cases. *Congress Research Service*. Retrieved July 13, 2009 from www.crs.gov
- Shun-Shin, M. et al. (2009). Neuraminidase inhibitors for treatment and prophylaxis of influenza in children: systematic review and meta-analysis of randomised controlled trials. *BMJ*, 339. Retrieved September 10, 2009 from <http://www.bmjjournals.org>
- Slovic, P. (1987). Perception of risk. *Science*, 236, 280-285.
- Smith, R.D. (2006). Responding to global infectious disease outbreaks: lessons from SARson the role of risk perception, communication and management. *Social Science and Medicine*, 63, 3113-3123.
- Spielberger, C.D. (1975) Anxiety: state-trait process. In C.D. Spielberger & I.G. Sarasan (Ed.) *Stress and Anxiety*. Volume I. New York: Wiley.
- Steinhauer, D.A. & Skehel, J.J. (2002). Genetics of influenza viruses. *Annual Review of Genetics*, 36, 305-332.
- Tang, C.S.K. & Wong, C-Y. (2003). An outbreak of the severe acute respiratory syndrome: predictors of health behaviors and effect of community prevention measures in Hong Kong, China. *American Journal of Public Health*, 93, 1887-1888.
- Tang, C.S.K. & Wong, C-Y. (2004). Factors influencing the wearing of facemasks to prevent the severe acute respiratory syndrome among Chinese in Hong Kong. *Preventive Medicine*, 39, 1187-1193.
- Tickner, J.A. (2002). Developing science and policy methods that support precautionary action in the face of uncertainty—the Institute of Medicine Committee on Agent Orange. *Public Health Report*, 117(6), 534-545.

- Tluczek, A., Henriques, J.B., & Brown, R.L. (2009). Support for the Reliability and Validity of a Six-Item State Anxiety Scale Derived From the State-Trait Anxiety Inventory. *Journal of Nursing Measurement*, 17(1), 19-28.
- Weiss, G.L., Larsen, D.L., & Baker, W.K. (1996). The development of health protective behaviors among college students. *Journal of Behavioral Medicine*, 19(2), 143-161.
- World Health Organization. (2009). Situation updates-Influenza A(H1N1). Retrieved July 19, 2009 from <http://www.who.int/csr/disease/swineflu/updates/en/index.html>
- World Health Organization. (2010). *H1N1 in post pandemic period*. Retrieved September 6, 2010 from
http://www.who.int/mediacentre/news/statements/2010/h1n1_vpc_20100810/en/print.html
- Wray, R. et al. (2008). Communicating with the public about emerging health threats: lessons from the pre-event message development project. *American Journal of Public Health*, 98, 2214-2222.