

บรรณานุกรม

- กนธีร์ สังขาสี. (บรรณาธิการ). (2541). *Simplified gynecologic oncology*. กรุงเทพฯ: หน่วยมะเร็งนรีเวชวิทยา กองสูตินรีเวชกรรม โรงพยาบาลพระมงกุฎเกล้า.
- กอบธัม สติกรุล, ปราโมทย์ ตระกูลเพียรกิจ, และ กฤตติกา ตัญญาแสนสุข. (2542). เกสัชวิทยาของ ยาเคมีบำบัดมะเร็ง. ใน วสันต์ ลีนะสมิต และ สมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), *ตำรามะเร็งนรีเวชวิทยา* (หน้า 313-340). กรุงเทพฯ: โฮลิซติกพับลิชชิง.
- จตุพล ศรีสมบูรณ์. (2553). *มะเร็งปากมดลูก: Cervical Cancer* [เอกสารออนไลน์]. ค้นพบเมื่อวันที่ 8 มีนาคม 2556, แหล่งที่มา <http://www.med.cmu.ac.th>
- เจนจบ ยิ่งสุมล. (2555). *สารานุกรมสมุนไพรไทย* (พิมพ์ครั้งที่ 1). กรุงเทพฯ: วี. พรินท์.
- ชยันต์ พิเชียรสุนทร และ วิเชียร จีรวงศ์. (2556). *คู่มือเภสัชกรรมแผนไทย เล่ม 5: टनाเภสัช* (พิมพ์ครั้งที่ 3). กรุงเทพฯ: อมรินทร์พรินต์ติ้งแอนด์พับลิชชิง.
- ชัยวัฒน์ ต่อสกุลแก้ว. (2542). *สรีรวิทยาทางเดินอาหาร*. กรุงเทพฯ: เท็กซ์ แอนด์ เจอร์นัล พับลิเคชั่น.
- ฐิติพร อิงคदारวงศ์. (2541). *การพยาบาลมะเร็งอวัยวะสืบพันธุ์สตรี*. สงขลา: ภาควิชาการพยาบาลสูตินรีเวชและผดุงครรภ์ คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- ตุลย์ สิทธิสมวงศ์. (2544). หลักการดูแลรักษาผู้ป่วยมะเร็งอวัยวะสืบพันธุ์สตรี. ใน กิจประมุข ตันตยาภรณ์ และคณะ (บรรณาธิการ), *นรีเวชวิทยา* (พิมพ์ครั้งที่ 3) (หน้า 131-144). กรุงเทพฯ: โอ. เอส. พรินต์ติ้งเฮาส์.
- ธัญรัชต์ เอื้อทิพย์สกุล. (2548). *การศึกษาสารสำคัญในขิงผลโดยวิธีทีนเลเยอร์โครมาโทกราฟี: Study on Active Constituents of Zingiber officinale Roscoe by Thin Layer Chromatography*. คณะเทคโนโลยีการเกษตร สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง.
- ธานี เมฆะสุวรรณดิษฐ์. (2546). Nausea and vomiting. ใน ธานี เมฆะสุวรรณดิษฐ์, ปรีชา มณฑานติกุล, จุฑามณี สุทธิสีสังข์, และ สุรเกียรติ อาษานุภาพ (บรรณาธิการ), *ตำราเภสัชบำบัด* (หน้า 94-110). กรุงเทพฯ: เฮลท์ ออทอดิส์.
- นรินทร์ วรวิทย์ และ เอื้อมแน สุขประเสริฐ. (2546). การรักษาด้วยการใช้เคมีบำบัด. ใน นรินทร์ วรวิทย์, ประสาร ขจรรัตนเดช, จตุรงค์ ตันติมงคลสุข, สมชัย ลิ้มปการณ, ศิริศักดิ์ โจรนประเสริฐกิจ, และ เอื้อมแน สุขประเสริฐ (บรรณาธิการ), *ตำรามะเร็งวิทยา 1* (หน้า 303-321). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.

- บุษบา สมใจวงษ์. (2544). ผลการสร้างจินตภาพต่อการคลื่นไส้ ชี้อ่อนและอาเจียนในผู้ป่วยมะเร็งเต้านมที่ได้รับยาเคมีบำบัด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอาชีวอนามัย และคัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- บุษยามาส ชิวสกุลยง. (2545). แนวทางการรักษาภาวะคลื่นไส้ และอาเจียนในผู้ป่วยมะเร็ง. ใน สมิตรา ทองประเสริฐ และ สิริกุล นภาพันท์ (บรรณาธิการ), *โรคมะเร็ง: แนวทางการรักษา* (หน้า 381-387). เชียงใหม่: ธนบรรณการพิมพ์.
- บังอร ศรีพานิชกุลชัย (2008). ชิงเพื่อสุขภาพ (Ginger for Health). *UPS*, 4, 1-15
- ประเสริฐ ตรีวิจิตรศิลป์ และ วิชัย เต็มรุ่งเรืองเลิศ. (2544). เนื้องอก และมะเร็งปากมดลูก. ใน กิจประมุข ตันตยาภรณ์, สมภพ ลิ้มพงศานุรักษ์, เอื้อน ตันนิรันดร์, สุรศักดิ์ ฐานิพานิชกุล, และ ดำรง ตรีสุโกศล (บรรณาธิการ), *นรีเวชวิทยา* (พิมพ์ครั้งที่ 3) (หน้า 162-188). กรุงเทพฯ: โอ. เอส. พริ้นต์ติ้ง เฮาส์.
- ปิยะกร ไพรสนธิ์. (2551). ผลของการกดจุดต่อการบรรเทาอาการคลื่นไส้ ชี้อ่อน และอาเจียนในผู้ป่วยมะเร็งเต้านมที่ได้รับยาเคมีบำบัด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ผกากรอง ขวัญข้าว. (2549). พิษใกล้ตัว. *อภัยภูเบศรสาร*, 33, 1.
- พวงทอง ไกรพิบูลย์. (2556). คลื่นไส้ อาเจียน (Nausea and Vomiting) [เอกสารออนไลน์]. Update 2013, July 14, แหล่งที่มา <http://haamor.com/th>.
- ภัททิยา ชัยนาคิน. (2548). ดนตรีบำบัดช่วยลดอาการคลื่นไส้ ชี้อ่อนและอาเจียนในผู้ป่วยมะเร็งที่ได้รับดนตรีบำบัด. *วารสารพยาบาลศาสตร์*, 23, 30-34.
- ยุพิน เพียรมงคล และ ณัฐวรรณ สุวรรณ. (2551). รายงานการวิจัย เรื่อง การจัดการกับอาการในผู้ป่วยมะเร็งอวัยวะสืบพันธุ์สตรีที่ได้รับเคมีบำบัด. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- รักชนก กักดีโพธิ์. (2550). ผลของดนตรีบำบัดต่อความเครียด อาการคลื่นไส้ ชี้อ่อน และอาเจียนในผู้ป่วยสตรีมะเร็งอวัยวะสืบพันธุ์ที่ได้รับเคมีบำบัด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสตรี, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- รัชณี นามจันทร์. (2535). ความวิตกกังวล ความบกพร่องในการดูแลตนเอง และแบบแผนการเกิดอาการคลื่นไส้อาเจียนในผู้ป่วยมะเร็งที่ได้รับเคมีบำบัด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- รัตนา อินทรานุกุล. (2549). สมุนไพรชิง [เอกสารออนไลน์]. ค้นพบเมื่อวันที่ 8 มีนาคม 2556, แหล่งที่มา www.gpo.or.th/rdi/html/index.html.

- วสันต์ สิ้นะสมิต และ สฤพรณ วิไลลักษณ์. (2542). หลักการใช้ยาเคมีบำบัด. ใน วสันต์ สิ้นะสมิต และ สมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), *ตำรามะเร็งนรีเวชวิทยา* (เรียบเรียงใหม่ครั้งที่ 2) (หน้า 342-377). กรุงเทพฯ: โอเอสติก พับลิชชิง.
- วัลลภ พรเรืองวงศ์. (2552). *ซิงแน็คลีนส์ได้อย่างไร*. [เอกสารออนไลน์]. ค้นพบเมื่อวันที่ 24 ธันวาคม 2553 แหล่งที่มา <http://www.gotoknow.org/blogs/posts/264530>.
- วิกิพีเดีย สารานุกรมเสรี. (2556). ซิง. [เอกสารออนไลน์]. ค้นพบเมื่อวันที่ 24 ธันวาคม 2556 แหล่งที่มา <http://th.wikipedia.org/wiki/%E0%B8%82%E0%B8%B4%E0%B8%87>.
- วิชาญ หล่อวิทยา. (2544). Principle of radiation oncology. ใน วิชาญ หล่อวิทยา, ไพรัช เทพมงคล, ประมุข พรหมรัตน์พงศ์, และ ชนวิธน์ เทศวิบูล (บรรณาธิการ), *Manual of radiation oncology* (หน้า 1-26). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- วิธิตา นียลาวิระ และ ชำนาญ เกียรติพิรกุล. (2550). การป้องกันการเกิดอาการคลื่นไส้และอาเจียนจากยาเคมีบำบัด. *ศรีนครินทร์เวชสาร*, 22, 97-104.
- สมเกียรติ ศรีสุพรรณดิฐ และ ณัฐพงศ์ อิศรางกูร ณ อยุธยา. (2542). มะเร็งปากมดลูก. ใน วสันต์ สิ้นะสมิต และ สมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), *ตำรามะเร็งนรีเวชวิทยา* (เรียบเรียงใหม่ครั้งที่ 2) (หน้า 448-481). กรุงเทพฯ: โอเอสติก พับลิชชิง.
- สัญญาชัย บัลลังก์โพธิ์ และ สมศักดิ์ ตั้งตระกูล. (2542). มะเร็งปากมดลูกระยะเริ่มแรก. ใน วสันต์ สิ้นะสมิต และ สมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), *ตำรามะเร็งนรีเวชวิทยา* (เรียบเรียงใหม่ครั้งที่ 2) (หน้า 448-481). กรุงเทพฯ: โอเอสติก พับลิชชิง.
- หน่วยรายงานสถิติทางการแพทย์ งานเวชระเบียนและสถิติโรงพยาบาลมหาราชนครเชียงใหม่. (2554). *สถิติโรคเนื้องอกร้าย/มะเร็งทางนรีเวชของผู้ป่วยใน (เพศหญิง) จำแนกตามชื่อโรค/ความเจ็บป่วย – การรักษาด้วยยาเคมีบำบัด : พ.ศ. 2551-2553*. เชียงใหม่: งานเวชระเบียนและสถิติ โรงพยาบาลมหาราชนครเชียงใหม่ คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.
- หน่วยบริการฐานข้อมูลสมุนไพร สำนักงานข้อมูลสมุนไพร คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล. (2554). *ซิงช่วยลดอาการคลื่นไส้อาเจียนในผู้ป่วยที่ได้รับเคมีบำบัด*. [เอกสารออนไลน์]. ค้นพบเมื่อวันที่ 24 มกราคม 2555 แหล่งที่มา <http://www.medplant.mahidol.ac.th>.
- เอี่ยมแซ สุขประเสริฐ. (2554). *ควรรู้อะไร...ก่อนให้เคมีบำบัด*. เอกสารประกอบการบรรยายการประชุมเชิงปฏิบัติการ เรื่อง “Workshop and Traineeship for Oncology Pharmacy Practitioners”, ภาควิชาอายุรศาสตร์ คณะแพทยศาสตร์ มหาวิทยาลัยขอนแก่น.
- American Cancer Society. (2012). *Nausea and vomiting* [Electronic version]. Retrieved August 20th, 2013, from <http://www.cancer.org>.

- Bartlett, N., & Koczwara, B. (2002). Control of nausea and vomiting after chemotherapy: What is the evidence [Electronic version]. *Internal Medicine Journal*, 32, 401-407.
- Bone, M. E., Wilkinson, D. J., Young, J. R., McNeil, J., & Charlton, S. (1990). Ginger root—a new antiemetic. The effect of ginger root on postoperative nausea and vomiting after major gynaecological surgery. *Anaesthesia*, 45, 669-71.
- Borrelli, F., Capasso, R., Aviello, G., Pittler, M. H., & Izzo, A. A. (2005). Effectiveness and safety of ginger in the treatment of pregnancy-induced nausea and vomiting. *Obstetrics Gynecology*, 105, 849-56.
- Camp-Sorrell, D. (1997). Chemotherapy: Toxicity management. In S. L. Groenwald, M. Goodman, M. G. Frogge, & C. H. Yarbro (Eds.), *Cancer nursing principles and practice* (4th ed.) (pp. 397-403). Massachusetts: Jones and Bartlett.
- Chaiyakunapruk, N., Kitikannakorn, N., Nathisuwan, S., Leeprakobboon, K., & Leelasattagool, C. (2006). The efficacy of ginger for the prevention of postoperative nausea and vomiting: a meta-analysis. *American Journal Obstetrics Gynecology*, 194, 95-9.
- Cunningham, R. S. (1997). 5-HT₃-receptor antagonists: A review of pharmacology and clinical efficacy. *Oncology Nursing Forum*, 24 (supplement), 33-39.
- Duigon, A. (1986). Anticipatory nausea and vomiting associated with cancer chemotherapy. *Oncology Nursing Forum*, 13(1), 35-40.
- Ernst, E., & Pittler, M. H. (2000). Efficacy of ginger for nausea and vomiting: A systematic review of randomized clinical trials. *British Journal of Anaesthesia*, 3, 367-71.
- Ezzone, S. A. (2000). Nausea and vomiting. In B. M. Nevidjon & K. W. Sowers (Eds.), *A nurse's guide to cancer care* (pp. 295-310). Philadelphia: Lippincott.
- Fischer-Rasmussen, W., Kjaer, S. K., Dahl, C., & Asping, U. (1991). Ginger treatment of hyperemesis gravidarum. *Europe Journal Obstetrics Gynecological Reproductive Biological*, 38, 19-24.
- Fulder, S., & Tenne, M. (1998). Ginger, as an anti-nausea remedy in pregnancy & the issue of safety. *Herbalgram*, 38, 47-50.
- Grant, M. (1997). Introduction: Nausea and vomiting, quality of life, and the oncology nurse. *Oncology Nursing Forum*, 24(Suppl. 7), 5-7.
- Grontved, A., Brask, T., Kambskard, J., & Hentzer, E. (1988). Ginger root against seasickness: A controlled trial on the open sea [Abstract]. *Acta Otolaryngol*, 105(1-2), 45-9.

- Guyton, A. C., & Hall, J. E. (2000). *Textbook of medical physiology* (9th ed.). Philadelphia: W.B Saunders.
- Hawthorn, J. (1995). *Understanding and management of nausea and vomiting*. Oxford: Blackwell Science.
- Hogan, C. M. (1990). Advance in the management of nausea and vomiting. *Nursing Clinic of North America*, 25, 475-497.
- Hogan, C. M., & Grant, M. (1997). Physiologic mechanism of nausea and vomiting in patients with cancer. *Oncology Nursing Forum*, 24(supplement), 8-12.
- Holtmann, S., Clarke, A. H., Scherer, H., & Hohn, M. (1989). The anti-motion sickness mechanism of ginger. A comparative study with placebo and dimenhydrinate. *Acta otolaryngol.* 108, (3-4):168-74.
- Huang, Q., Iwamoto, M., Aoki, S., Tanaka, N., Tajima, K., Yamahara, J., et al. (1991). Anti-5 - hydroxytryptamine₃: Effect of galanolactone, diterpenoid isolate from ginger. *Chemical Pharmacological Bulletin*, 39, 397-399.
- Jewell, D., & Young, G. (2003). Interventions for nausea and vomiting in early pregnancy. *Cochrane Database Systematic Reviews online*, 4, CD000145.
- Keating, A., & Chez, R. A. (2002). Ginger syrup as an antiemetic in early pregnancy. *Alternative Therapies in Health and Medicine*, 8(5), 89-91.
- Lien, H. C., Sun, W. M., Chen, Y. H., Kim, H., Hasler, W., & Owyang, C. (2003). Effects of ginger on motion sickness and gastric slow-wave dysrhythmias induced by circularvection [Electronic version]. *American Journal of Physiological Gastrointestinal Liver Physiology*, 284:G481-9.
- Manusirivithaya, S., Sripramote, M., Tangjitgamol, S., Sheanakul, C., Leelahakorn, S., Thavaramara, T. et al. (2004). Antiemetic effect of ginger in gynecologic oncology patients receiving cisplatin [Abstract]. *International Journal of Gynecological Cancer*, 14(6), 1063-9.
- Mahady, G. B., Pendland, S. L., Yun, G. S., Lu, Z. Z., & Stoia, A. (2003). Ginger (*Zingiber officinale* Roscoe) and the gingerols inhibit the growth of Cag A+ strains of *Helicobacter pylori*. *Anticancer Research*, 23(5), 3699-702.
- Marino, L. B. (1981). *Cancer nursing*. St. Louis: Mosby.

- Miller, M., & Kearney, U. K. (2003). Chemotherapy-related nausea and vomiting-past reflections, present practice and future management [Electronic version]. *European Journal of Cancer Care*, 13, 71-81.
- Moher, D., Arthur, A. Z., & Peter, J. L. (1984). Anticipatory nausea and/or vomiting chemotherapy patients. *Cancer Treatment Reviews*, 11, 257-64.
- Mowrey, B. B., & Clayson, D. E. (1982). Motion sickness, ginger, and psychophysics. *Lancet*, 1, 655-7.
- Phillips, S., Hutchinson, S., & Ruggier, R. (1993). *Zinger officinale* (ginger)-An antiemetic for day case surgery. *Anaesthesia*, 48, 715-7.
- Pongrojapaw, D., & Chiamchanya, C. (2003). The efficacy of ginger in prevention of post-operative nausea and vomiting after outpatient gynecological laparoscopy. *Journal of the Medical Association of Thailand*, 86, 244-50.
- Rhodes, V. A., Watson, P. M., Johnson, M. H., Madsen, R. W., & Beck, N. C. (1987). Pattern of nausea, vomiting and distress in patients receiving antineoplastic drug protocol. *Oncology Nursing Forum*, 14(4), 35-44.
- Rhodes, V. A., Johnson, M. H., & McDaniel, R. W. (1995). Nausea, vomiting, and retching: The management of the symptom experience. *Seminars of Oncology Nursing*, 11(4), 256-265.
- Roila, F., Donati, D., Tamberi, S., & Margutti, G. (2001). Delays emesis: Incidence, pattern, prognostic factors and optimal treatment [Electronic version]. *Support Care in Cancer*, 10, 88-95.
- Roscoe, J. A., Morrow, G. R., Hickok, J. T., & Stern, R. M. (2001). Nausea and vomiting remain a significant clinical problem: Trends over time in controlling chemotherapy-induced nausea and vomiting in 1413 patients treated in community clinical practices [Electronic version]. *Journal of Pain and Management*, 20, 113-121.
- Ryan, J. L., Heckler, C., Dakhil, S. R., Kirshner, J., Flynn, P. J., Hickok, J. T., & Morrow, G. R. (2009). Ginger for chemotherapy-related nausea in cancer patients: A URCC CCOP randomized, double-blind, placebo-controlled clinical trial of 644 cancer patients [Abstract]. *Journal of Clinical Oncology*, 27.

- Ryan J. L., Heckler, C. E., Roscoe, J. A., Dakhil, S. R., Kirshner, J., Flynn, P. J., et al. (2011). Ginger (*Zingiber officinale*) reduces acute chemotherapy-induced nausea: A URCC CCOP study of 576 patients [Electronic version]. *Supportive Care in Cancer*.
- Schmid, R., Schick, T., Steffen, R., Tschopp, A., & Wilk, T. (1994). Comparison of seven commonly used agents for prophylaxis of seasickness [Abstract]. *Journal of Travel Medicine*, 4, 203-206.
- Sharma, S. S., Kochupillai, V., Gupta, S. K., Seth, S. D., & Gupta, Y. K. (1997). Antiemetic efficacy of ginger (*Zingiber officinale*) against cisplatin-induced emesis in dogs [Abstract]. *Journal Ethnopharmacol*, 57,93-6.
- Stewart, J. J., Wood, M. J., Wood, C. D., & Mims, M. E. (1991). Effects of ginger on motion sickness susceptibility and gastric function. *Pharmacology*, 42, 111-20.
- Tyers, M. B. (1992). Serotonin and emesis from animals to human: A discussion of professor Naylor' paper. *British Journal Cancer*, 66 (supplement), 12-13.
- Vutyavanich, T., Kraissarin, T., & Ruangsri, R. (2001). Ginger for nausea and vomiting in pregnancy: Randomized, doublemasked, placebo-controlled trial. *Obstetric Gynecology*, 97(4), 577-82.
- White, B., (2007). Ginger: An overview. *American Family Physician*, 75, 1689-91.
- Wilkes, G. M. (2001). Potential toxicities and nursing management. In M. Barton-Burke, G. M. Wilkes & K. C. Ingwersen (Eds.), *Cancer chemotherapy: A nursing process approach* (pp. 89-185). Massachusetts: Jones & Bartlett.
- Wickham, R. (1989). Managing chemotherapy-related nausea and vomiting: The state of the art. *Oncology Nursing Forum*, 16(4), 563-564.
- Willetts, K. E., Ekangaki, A., & Eden, J. A. (2003). Effect of a ginger extract on pregnancy-induced nausea: A randomized controlled trial. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 43(2), 139-144.
- World Health Organization. (1999). *WHO monographs on selected medicinal plants* (pp. 277-87). Malta.
- Yamahara, J., Huang, Q., Li, Y., Xu, L., & Fujimura, H. (1990). Gastrointestinal motility enhancing effect of ginger and its active constituents. *Chemical Pharmacological Bulletin*, 38, 430-431.

- Yamahara, J., Rong, H. Q., Naitoh, Y., Kitani, T., & Fujimura, H. (1989). Inhibition of cytotoxic drug-induced vomiting in mice by ginger constituent. *Journal of Ethnopharmacology*, 27, 353-355.
- Yamane, T. (1973). *Statistics: An introduction analysis* (3rd ed.). New York: Harper & Ross.

PAYAP UNIVERSITY